

Driving Performance. Innovating Solutions.

DO01244 MODULE

DOOSAN 1.8L TIER IV & 2.4L TIER IV ENGINES





WWW.PSIPOWERPRODUCTS.COM

WWW.AGDIESELSOLUTIONS.COM














Position 1 - STOCK (counter clockwise)
Position 2 - LOW, up to 15% HP
Position 3 - HIGH, up to 30% HP




DISCLAIMER

NOT FOR USE IN CALIFORNIA

PSI Power recommends removing the module before any warranty work is performed on the piece of equipment the module is installed on.

MODULE DOES NOT BYPASS, DELETE, OR DEFEAT ANY EMMISIONS CONTROL SYSTEMS
If installation assistance is needed, PSI Power is not responsible for any cost associated with third party installation.

For TECH SUPPORT, Please Call +1 (812) 618-9168



Step 1) Open the Engine Access Door. Locate the Fuel pressure sensor as shown in the picture above. (The sensor is located at the end of the Common Fuel Rail)



Step 2) Unplug the stock 3-Pin Female connector to the Fuel Pressure Sensor.



Step 3) Plug the 3-Pin Female Connector from module into the stock Fuel Pressure Sensor.

Note: Make sure to push completely together until the connector snaps.

Step 4) Connect the Stock 3-Pin Female Fuel Pressure Connector to the Male 3-Pin Connector on the ADS Module harness.



Step 5) Mount module in a secure location away from any extreme heat or moving parts. Zip tie module and any loose wires down.

THIS IS A HIGH PERFORMANCE PRODUCT. USE AT YOUR OWN RISK.

Do not use this product until you have carefully read the following agreement. This sets forth the terms and conditions for the use of this product. The installation of this product indicates that the BUYER has read and understands this agreement and accepts its terms and conditions

DISCLAIMER OF WARRANTY AND LIMITATION OF LIABILITY

PSI Power, Inc and its successors, distributors, jobbers, and dealers (hereafter "SELLER") shall in no way be responsible for the product's proper use and service. It is the installer's responsibility to check for proper installation and if in doubt, contact the manufacturer. The SELLER assumes no liability regarding the improper installation or misapplication of its products. BUYER ACKNOWLEDGES IT HAS HAD THE OPPORTUNITY TO FULLY INSPECT THE PRODUCT. ACCORDINGLY, BUYER ACKNOWLEDGES THAT THE PRODUCT IS BEING SOLD IN "AS IS/WHERE IS" CONDITION AND WITH ALL FAULTS. EXCEPT AS OTHERWISE PROVIDED HEREIN, THERE ARE NO EXPRESS WARRANTIES WITH RESPECT TO THE GOODS, AND ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO, IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY ARE LIKEWISE HEREBY EXPRESSLY AND FULLY DISCLAIMED. SELLER SHALL NOT BE HELD LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE WITH RESPECT TO THE PRODUCTS (INCLUDING, WITHOUT LIMITATION, LOST PROFITS, LOST SALES, LOSS OF PRODUCTION, PROPERTY DAMAGE, PERSONAL INJURY OR LOSS OR DAMAGE RESULTING FROM INTERRUPTION OR FAILURE IN OPERATION OF THE PRODUCTS) AND BUYER HEREBY EXPRESSLY WAIVES AND DISCLAIMS ALL SUCH LIABILITY CLAIMS. THE BUYER ACKNOWLEDGES AND AGREES THAT THE DISCLAIMER OF LIABILITY CONTAINED HEREIN IS A MATERIAL TERM OF THE SALE OF THE PRODUCT AND, TO THE FULLEST EXTENT PERMITTED BY LAW, BUYER SHALL DEFEND, INDEMNIFY AND HOLD SELLER HARMLESS FROM ANY AND ALL CLAIMS, DEMANDS, CAUSES OF ACTION, CONTROVERSIES, LIABILITIES, FINES, LOSSES, COSTS AND EXPENSES (INCLUDING, BUT NOT LIMITED TO ATTORNEY'S FEES, EXPERT WITNESS EXPENSES AND LITIGATION EXPENSES) ARISING FROM OR RELATED TO SELLER'S PRODUCTS.

TERMS AND CONDITIONS CONTINUE ON NEXT PAGE

LIMITED 3 YEAR WARRANTY

PSI Power, INC. (hereafter SELLER) warrants that the product supplied shall conform to SELLER's specifications and shall be free from defects in design, material or workmanship for 3 years to the original BUYER. This warranty shall not be extended, transferred, assigned or varied except by a written instrument signed by SELLER and BUYER. Products that have been returned to SELLER during the warranty period and accompanied by a dated proof of purchase receipt, with shipping and handling paid by the BUYER, and found to be defective in design, material, or workmanship, in SELLERís sole discretion, may be repaired or replaced at SELLERís option and cost. All warranty claims hereunder are subject to approval by SELLER upon examination of the product. If the product is found not to be defective by SELLER, the product may be returned to BUYER at BUYERS cost. Under no circumstances shall the SELLER be liable for any labor charged or travel time incurred in diagnosis for defects, removal, or reinstallation of this product or any other expenses. This warranty is void on any products that show evidence of misapplication, negligence, improper installation, abuse, lack of proper maintenance or alteration from its original design. IN THE EVENT THAT THE BUYER DOES NOT AGREE WITH THIS AGREEMENT, THE BUYER MAY PROMPTLY RETURN THIS PRODUCT, IN A NEW AND UNUSED CONDITION, IN THE ORIGINAL PACKAGING, WITH A DATED PROOF OF PURCHASE, TO THE PLACE OF PURCHASE WITHIN (30) DAYS FROM THE DATE OF PURCHASE FOR A FULL REFUND. THE INSTALLATION OF THIS PRODUCT INDICATES THAT THE BUYER HAS READ AND UNDERSTANDS THIS AGREEMENT AND ACCEPTS ITS

TERMS AND CONDITIONS Effective 11/1/2022

For
TECH SUPPORT,
Please Call

+1 (812) 618-9168

Why PSI Power Modules?

SAVE MORE & GET MORE

10-20% returns on fuel per hour with up to 30% more horsepower & torque

LINEAR BASED LOAD TECHNOLOGY

Only supplying power when you need it

NO PROGRAMS OR CHANGES

No programming of the factory ECM or changes to fuel pressure

TRANSFERABLE

Transferable to new machines with same engine, and will not defeat or delete any engine components

PRODUCTS BENEFITS SECURITY

Product benefits will not be lost if factory tuning is required

PEACE OF MIND

In-House tech support, and 30-day money back guarantee



- UP TO 30% HORSEPOWER INCREASE
- **UP TO 10%-20% IN FUEL SAVINGS**
- NO FACTORY ECM FLASH
- FIELD TESTED & DYNO PROVEN
- PLUG & PLAY INSTALLATION

PERFORMANCE ELECTRONICS FOR AGRICULTURE, FORESTRY, CONSTRUCTION, TRUCKs, RVs, AND MORE!









WWW.PSIPOWERPRODUCTS.COM

WWW.AGDIESELSOLUTIONS.COM









